



## CREASING MATRIX

Chosen for their ease of use and cost effective properties, BFS creasing matrix features expertly engineered plastic shoulders and a micro polyester film base.

It includes a perfectly registered soft plastic locator and comes in a full range of dimensions for standard, micro, and corrugated boards, tailored to meet any creasing requirement. BFS matrix is also available in reels.

### Key features:

- Plastic shoulders are accurate and durable
- Micro polyester film base reduces height adjustments
- Using special technology, the plastic shoulders adhere to the polyester film base, and the risk of enlargement of the shoulders is reduced
- Individually coloured and labelled profiles minimise the risk of mixing sizes

Call one of our **Technical Sales Managers** today for more information: **0118 930 5999**

## FAQs

### Why use a creasing matrix?

Creasing matrix streamlines production preparation and ensures superior creasing results.




### How do I choose the right dimensions?

Detailed product dimensions and recommended sizes can be found on subsequent pages of this data sheet.


### Why choose BFS for your creasing matrix?

Unlike many suppliers, BFS prioritises quality and affordability. Rigorous engineering analysis and technical testing ensures precise dimensions; avoiding common creasing issues faced by other suppliers. Plus...








- **Expert Technical Support**  
BFS provides a dedicated technical specialist who travels to assist both customers and operators, offering hands-on guidance.
- **On-Site Operator Training**  
We offer comprehensive training to ensure operators select the correct matrix and achieve optimal crease quality.
- **Design Team Assistance**  
Our expert works closely with company design teams to ensure the correct crease rule is specified when ordering from die makers, preventing costly errors.



## CREASING MATRIX











### 7mm Mini Centre

Base Colour	Height (mm)	Channel Width (mm)
	0.30	0.5, 0.6, 0.8, 0.9, 1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8 and 1.9
	0.40	0.5, 0.6, 0.8, 0.9, 1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8 and 1.9
	0.45	0.8, 0.9, 1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8 and 1.9
	0.50	0.8, 0.9, 1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.9, 2.1 and 2.3
	0.55	0.8, 0.9, 1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.9, 2.1 and 2.3
	0.60	1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.9 and 2.1
	0.70	1.5, 1.6, 1.7, 1.9 and 2.1

Contents of box 28 x 750mm strips = 21 metres




### 7mm Off-Centre











Base Colour	Height (mm)	Channel Width (mm)
	0.30	0.5, 0.6, 0.8, 0.9, 1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8 and 1.9
	0.40	0.5, 0.6, 0.8, 0.9, 1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8 and 1.9
	0.45	0.8, 0.9, 1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8 and 1.9
	0.50	0.8, 0.9, 1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.9, 2.1 and 2.3
	0.55	0.8, 0.9, 1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.9, 2.1 and 2.3
	0.60	1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.9, 2.1, 2.3 and 2.5
	0.65	1.5, 1.6, 1.7, 1.9, 2.1, 2.3 and 2.5
	0.60	1.5, 1.6, 1.7, 1.9, 2.1, 2.3 and 2.5

Contents of box 28 x 750mm strips = 21 metres


## CREASING MATRIX



### 10mm Standard Centre

Base Colour	Height (mm)	Channel Width (mm)
	0.30	0.5, 0.6, 0.8, 0.9, 1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8 and 1.9
	0.40	0.5, 0.6, 0.8, 0.9, 1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8 and 1.9
	0.45	0.8, 0.9, 1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8 and 1.9
	0.50	0.8, 0.9, 1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.9, 2.1 and 2.3
	0.55	0.8, 0.9, 1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.9, 2.1 and 2.3
	0.60	1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.9, 2.1, 2.3, 2.5, 2.7, 2.8, 3.0 and 3.2
	0.65	1.5, 1.6, 1.7, 1.9, 2.1, 2.3, 2.5, 2.7, 2.8, 3.0 and 3.2
	0.70	1.5, 1.6, 1.7, 1.9, 2.1, 2.3, 2.5, 2.7, 2.8, 3.0 and 3.2
	0.80	1.5, 1.6, 1.7, 1.9, 2.1, 2.3, 2.5, 2.7, 2.8, 3.0 and 3.2
	1.00	2.3, 2.5, 2.7, 2.8, 3.0 and 3.2

Contents of box 32 x 750mm strips = 24 metres




### 12mm Centre

Base Colour	Height (mm)	Channel Width (mm)
	0.60	3.5*, 4.0# and 4.5#
	0.65	3.5*, 4.0# and 4.5#
	0.70	3.5*, 4.0#, 4.5# and 5.0#
	0.80	3.5*, 4.0#, 4.5# and 5.0#
	1.00	3.5*, 4.0#, 4.5# and 5.0#
	1.20	3.5*, 4.0#, 4.5# and 5.0#
	1.50	3.5*, 4.0#, 4.5# and 5.0#




\*Contents of box 27 x 750mm strips = 20.25 metres

#Contents of box 20 x 750mm strips = 15 metres

## CREASING MATRIX



### 12mm Double Crease

Base Colour	Height (mm)	Channel Width (mm)
	0.40	1.0, 1.3, and 1.5
	0.45	1.0, 1.3, and 1.5
	0.50	1.0, 1.3, and 1.5

(Distance Between Rules available in 3.0, 4.0 and 5.0mm)  
 Contents of box 24 x 750mm strips = 18 metres